

PRELIMINARY AMENDMENT

Serial Number: Unknown

Filing Date: Herewith

Title: SILOXANE-CONTAINING POLYURETHANE-UREA COMPOSITIONS

Page 2

Dkt: 1207.008US1

Sub B1
wherein

R is hydrogen or an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical;

R₁, R₂, R₃, R₄, R₅ and R₆ are each independently hydrogen or an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical;

R₇ is a divalent linking group or an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical; and

n is an integer of 1 or greater;

wherein the macrodiol is a polysiloxane macrodiol, a polyether macrodiol, a polycarbonate macrodiol, or a mixture thereof;

and wherein the hard segment is formed from:

(i) a diisocyanate; and

(ii) a chain extender comprising the compound of formula (I), a second chain extender, or a combination thereof;

provided the soft segment is formed from the compound of formula (I); the hard segment is formed from the compound of formula (I); or the soft segment is formed from the compound of formula (I) and the hard segment is formed from the compound of formula (I).

Sub 2
64.(NEW) The composition of claim 63 wherein n is 1 to 4; the molecular weight of the compound of formula (I) is about 500 or less; and the compound of formula (I) functions as a chain extender.

Sub D1
65.(NEW) The composition of claim 64 wherein R₇ is oxy.

66.(NEW) The composition of claim 64 wherein the compound of formula (I) has a molecular weight range of about 60 to about 500.

67.(NEW) The composition of claim 66 wherein the compound of formula (I) has a molecular weight range of about 60 to about 450.

PRELIMINARY AMENDMENT

Serial Number: Unknown

Filing Date: Herewith

Title: SILOXANE-CONTAINING POLYURETHANE-UREA COMPOSITIONS

Page 3

Dkt: 1207.008US1

Sub P1
cont
68.(NEW) The composition of claim 64 wherein the compound of formula (I) is 1,3-bis(3-aminopropyl)tetramethyldisiloxane; or 1,3-bis(4-aminobutyl)tetramethyldisiloxane.

Sub C3
69.(NEW) The composition of claim 64 wherein the chain extender comprises the compound of formula (I) and the second chain extender.

Sub D1
cont
A2
70.(NEW) The composition of claim 69 wherein the second claim extender is a diol, a diamine, a water chain extender, or a combination thereof.

71.(NEW) The composition of claim 70 wherein the diol chain extender is 1,4-butanediol; 1,6-hexanediol; 1,8-octanediol; 1,9-nonanediol; 1,10-decanediol; 1,12-dodecanediol; 1,4-cyclohexanedimethanol; p-xyleneglycol; 1,4 bis (2-hydroxyethoxy) benzene; water; or a combination thereof.

Sub B2
72.(NEW) The composition of claim 70 wherein the diamine chain extender is 1,2-ethylenediamine; 1,3-propanediamine; 1,3-butanediamine; 1,6-hexanediamine; 1,2-diaminocyclohexane; 1,3-diaminocyclohexane; or a combination thereof.

Sub C4
73.(NEW) The composition of claim 69 wherein the compound of formula (I) functions as a chain extender and the molar percentage of the compound of formula (I) is about 1 to about 50% of the composition.

74.(NEW) The composition of claim 69 wherein the compound of formula (I) functions as a chain extender and the molar percentage of the compound of formula (I) is about 35% to about 45% of the composition.

Sub D1
cont
75.(NEW) The composition of claim 63 wherein the diisocyanate is aliphatic or aromatic.

Sub C5
76.(NEW) The composition of claim 75 wherein the diisocyanate is 4,4'-diphenylmethane diisocyanate (MDI); methylene bis (cyclohexyl) diisocyanate (H₁₂MDI); p-phenylene

SubP1
A²
77. diisocyanate (p-PDI); trans-cyclohexane-1,4-diisocyanate (CHDI); 1,6-diisocyanatohexane (DICH); 1,5-diisocyanato naphthalene (NDI); para-tetramethylxylene diisocyanate (p-TMXDI); meta-tetramethylxylene diisocyanate (m-TMXDI); 2,4-toluene diisocyanate (2,4-TDI); isophorone diisocyanate (IPDI); an isomer thereof; or a mixture thereof.

77.(NEW) The composition of claim 63 wherein the hard segment is present in about 15 wt.% to about 50 wt.% of the composition.

78.(NEW) The composition of claim 77 wherein the hard segment is present in about 21.8% to about 50 wt.% of the composition.

79.(NEW) The composition of claim 77 wherein the hard segment is present in about 21.8% to about 40 wt.% of the composition.

80.(NEW) The composition of claim 63 wherein the soft segment is formed from a polysiloxane macrodiol, a polyether macrodiol, a polyether macrodiamine, or a mixture thereof.

81.(NEW) The composition of claim 63 wherein n is about 5 to about 100; the molecular weight of the compound of formula (I) is about 500 to about 10,000; and the soft segment is formed from the compound of formula (I).


82.(NEW) The composition of claim 81 wherein the compound of formula (I) is an amine-terminated PDMS.

83.(NEW) The composition of claim 82 wherein the amine-terminated PDMS is bis(3-aminopropyl)-polydimethyl siloxane.

SubB3
SubC4
84.(NEW) The composition of claim 81 wherein the soft segment is formed from the compound of formula (I) and at least one of a macrodiol and a macrodiamine.

85.(NEW) The composition of claim 84 wherein the macrodiol is a polysiloxane macrodiol, a polyether macrodiol, a polyester macrodiol, a polycarbonate macrodiol, or a mixture thereof.

86.(NEW) The composition of claim 85 wherein the polysiloxane macrodiol is a compound of formula (II):



wherein

R₉, R₁₀, R₁₁, R₁₂, R₁₃ and R₁₄ are each independently an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical; and

p is an integer of 1 to about 100.

Sub B4
87.(NEW) The composition of claim 86 wherein the compound of formula (II) is PDMS.

88.(NEW) The composition of claim 87 wherein R₁₃ and R₁₄ are each independently propylene, butylene, pentylene, hexylene, ethoxypropyl, propoxypropyl, or butoxypropyl.

Sub B5
89.(NEW) The composition of claim 86 wherein the molecular weight of the compound of formula (II) is about 200 to about 6,000.

90.(NEW) The composition of claim 86 wherein the molecular weight of the compound of formula (II) is about 500 to about 2,000.

91.(NEW) The composition of claim 84 wherein the soft segment is formed from an amine-terminated PDMS and PDMS.

Sub D1 cont.
92.(NEW) The composition of claim 85 wherein the polyether macrodiol is a compound of

PRELIMINARY AMENDMENT

Serial Number: Unknown


Filing Date: Herewith

Title: SILOXANE-CONTAINING POLYURETHANE-UREA COMPOSITIONS

Page 6

Dkt: 1207.008US1

Sub D1 cent → formula (III).



(III)

wherein

q is an integer of 4 or more; and

r is an integer of 2 to 50.

Sub B6 → 93.(NEW) The composition of claim 92 wherein q is about 5 or higher.

Sub B6 → 94.(NEW) The composition of claim 93 wherein the compound of formula (III) is poly(hexamethylene oxide) (PHMO); poly(heptamethylene oxide); poly(octamethylene oxide) (POMO); or poly(decamethylene oxide) (PDMO).

Sub B6 → 95.(NEW) The composition of claim 92 wherein the soft segment is formed from the compound formula (I), which functions as the macrodiamine; and the compound of formula (III), which functions as a macrodiol.

Sub B7 → 96.(NEW) The composition of claim 85 wherein the molecular weight of the compound of formula (III) is about 200 to about 5,000.


97.(NEW) The composition of claim 96 wherein the molecular weight of the compound of formula (III) is about 500 to about 1,200.

Sub B8 → 98.(NEW) The composition of claim 85 wherein the polycarbonate macrodiol is a poly(alkylene carbonate); a polycarbonate prepared by reacting an alkylene carbonate with an alkanediol; a silicon based polycarbonate prepared by reacting an alkylene carbonate with 1,3-bis(4-hydroxybutyl)-1,1,3,3-tetramethyldisiloxane (BHTD); an alkanediol; or a mixture thereof.

Sub D1 cent → 99.(NEW) The composition of claim 85 wherein both the polyether macrodiol and the

Sub B7
carbonate
polycarbonate macrodiol are present as a mixture or a copolymer.

Sub B8
A²
100.(NEW) The composition of claim 99 wherein the copolymer is a copoly(ether carbonate) macrodiol represented by the compound of formula (IV):



wherein

R₁₅ and R₁₆ are each independently an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical; and s and t are integers of 1 to about 20.

Sub B9
101.(NEW) The composition of claim 84 wherein the macrodiamine is a polyether macrodiamine.

Sub B9
102.(NEW) The composition of claim 101 wherein the polyether macrodiamine is POLAMINE 650.

Sub C12
103.(NEW) The composition of claim 63 wherein the soft segment is formed from the compound of formula (I) and at least one of a macrodiol and a macrodiamine.

Sub B10
104.(NEW) A polyurethane-urea elastomeric composition comprising a soft segment and a hard segment, wherein the soft segment is formed from:

(i) a macrodiol comprising a polysiloxane macrodiol and a polyether macrodiol;

and wherein the hard segment is formed from:

(ii) a diisocyanate; and

(iii) a chain extender selected from the group consisting of a compound of formula (I):

PRELIMINARY AMENDMENT


Serial Number: Unknown

Filing Date: Herewith

Title: SILOXANE-CONTAINING POLYURETHANE-UREA COMPOSITIONS

Page 8

Dkt: 1207.008US1



wherein

R is hydrogen or an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical;

R₁, R₂, R₃, R₄, R₅ and R₆ are each independently hydrogen or an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical;

R₇ is a divalent linking group or an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical; and

n is an integer of 1 to about 4;

the molecular weight of the compound of formula (I) is about 500 or less;

a diamine chain extender; 1,3-bis(3-aminopropyl)tetramethyldisiloxane; 1,3-bis(4-aminobutyl)tetramethyldisiloxane; 1,4-butanediol; 1,2-ethylenediamine; ethanolamine; hexamethylenediamine; 1,4-butanediamine; water; 1,4-bis(4-hydroxybutyl)tetramethyldisiloxane; and combinations thereof.

105.(NEW) The composition of claim 104 wherein the weight ratio of polysiloxane macrodiol to polyether macrodiol in the composition is about 1:99 to about 99:1.

106.(NEW) The composition of claim 104 wherein the weight ratio of polysiloxane to polyether is about 75:25 to about 85:15.

107.(NEW) The composition of claim 102 wherein the weight percentage of the macrodiol in the composition is about 60 wt.% to about 40 wt.%.

108.(NEW) The composition of claim 104 wherein the diisocyanate is MDI.

PRELIMINARY AMENDMENT

Serial Number: Unknown

Filing Date: Herewith

Title: SILOXANE-CONTAINING POLYURETHANE-UREA COMPOSITIONS

Page 9

Dkt: 1207.008US1

109.(NEW) A polyurethane-urea elastomeric composition comprising a soft segment and a hard segment, wherein the soft segment is formed from:

(i) a polysiloxane macrodiamine; and either a polyether macrodiol or a polyether macrodiamine;

and wherein the hard segment is formed from:

(ii) a diisocyanate; and

(iii) a diamine chain extender, 1,3-bis(3-aminopropyl)tetramethyldisiloxane; 1,3-bis(4-aminobutyl)tetramethyldisiloxane; 1,4-butanediol; 1,2-ethylenediamine; ethanolamine; hexamethylenediamine; 1,3-diaminocyclohexane; 1,2-diamino cyclohexane; water; 1,3-bis(4-hydroxybutyl) 1,1,3,3-tetramethyldisiloxane; or a combination thereof.

110.(NEW) The composition of claim 109 wherein the amount of hard segment in the composition is about 15 wt.% to about 50 wt.%.


111.(NEW) A polyurethane-urea elastomeric composition comprising a soft segment and a hard segment, wherein the soft segment is formed from:

(i) a macrodiol or a macrodiamine selected from the group consisting of a polysiloxane macrodiol, a polyether macrodiol, a polyester macrodiol, a polycarbonate macrodiol; a polyether macrodiamine; and mixtures thereof;

and wherein the hard segment is formed from:

(ii) a diisocyanate; and

(iii) a chain extender comprising a compound of formula (I):



wherein

R is hydrogen or an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical;

Sub B12 cont.

R_1, R_2, R_3, R_4, R_5 and R_6 are each independently hydrogen or an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical;


R_7 is a divalent linking group or an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical; and

n is an integer of 1 to about 4; and

the compound of formula (I) has a molecular weight of about 500 or less.

112.(NEW) A polyurethane-urea elastomeric composition comprising a soft segment and a hard segment, wherein the soft segment is formed from:

- (i) a macrodiol comprising a polysiloxane macrodiol and a polycarbonate macrodiol; and the hard segment is formed from:
- (ii) a diisocyanate; and
- (iii) chain extender selected from the group consisting of a compound of formula (I):



wherein

R is hydrogen or an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical;

R_1, R_2, R_3, R_4, R_5 and R_6 are each independently hydrogen or an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical;

R_7 is a divalent linking group or an optionally substituted straight chain, branched or cyclic, saturated or unsaturated hydrocarbon radical; and

n is an integer of 1 to about 4; and

the compound of formula (I) has a molecular weight of about 500 or less;

a diamine chain extender; 1,3-bis(3-aminopropyl)tetramethyldisiloxane; 1,3-bis(4-aminobutyl)tetramethyldisiloxane; 1,4-butanediol; 1,2-ethylenediamine; ethanolamine;

PRELIMINARY AMENDMENT

Serial Number: Unknown

Filing Date: Herewith

Title: SILOXANE-CONTAINING POLYURETHANE-UREA COMPOSITIONS

Page 11

Dkt: 1207.008US1

Sub B12
cont. → hexamethylenediamine; 1,4-butanediamine; water 1,4-bis(4-hydroxybutyl)tetramethyldisiloxane;
and combinations thereof;

wherein the level of hard segment in the composition is about 21.8 wt.% to about 60 wt.%.

A²
113.(NEW) The composition of claim 63 having improved mechanical properties, clarity, processability or degradation resistance.

114.(NEW) The composition of claim 63 that is resistant to cyclic flex fatigue.

115.(NEW) The composition of claim 63 that is resistant to degradation.

116.(NEW) The composition of claim 63 that is resistant to degradation *in vivo*.

Sub B13
117.(NEW) The composition of claim 63 that is useful as a biomaterial.

118.(NEW) A medical device, articles or implants composed wholly or partly of the composition of claim 63.

119.(NEW) The medical device, articles or implant of claim 118 which is a cardiac pacemaker, defibrillator, electromedical device, catheters, cannula, implantable prostheses, cardiac assist device, heart valve, vein valve, vascular graft, extra-corporeal device, artificial organ, pacemaker lead, defibrillator lead, blood pump, balloon pump, A-V shunt, biosensor, membranes for cell encapsulation, drug delivery device, wound dressing, artificial joint, orthopaedic implant, or soft tissue replacement.

Sub B13
cont. → 120.(NEW) A device or article composed wholly or partly of the composition of claim 63.

Sub B14
121.(NEW) The device or article of claim 120 which is artificial leather, a shoe sole; cable sheathing; varnish, coating; structural components for a pump, vehicle; mining ore screen,